

07/07/99
JCS11 U.S. PTO
09/349198
07/07/99

07/07/99
JCS11 U.S. PTO
09/349198
07/07/99

ASSISTANT COMMISSIONER FOR PATENTS
Box Patent Application
Washington, D.C. 20231

Transmitted herewith for filing is the patent application of Inventor(s) Christopher F. Parker

Entitled: **DATABASE TABLE RECOVERY SYSTEM**

Enclosed are:

- ☒ 20 sheets of specification and 3 sheet(s) of drawing(s).
☐ An Assignment of the invention and an Assignment Recordation cover sheet.
☐ A verified statement to establish small entity status under 37 C.F.R. §§ 1.9 and 1.27.
☒ An unexecuted Declaration/Power of Attorney.
☒ An Information Disclosure Statement/PTO-1449
☒ A Return Receipt Postcard.
☐ Other

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)		SMALL	ENTITY		OTHER THAN A SMALL ENTITY	
FOR:	NO. FILED	NO. EXTRA		RATE	FEE		RATE	FEE
BASIC FEE					\$380	<u>OR</u>		\$760
TOTAL CLAIMS	16-20 =	* 0		x 9	\$	<u>OR</u>	x 18	\$ 0
INDEP CLAIMS	3-3 =	* 0		x 39	\$	<u>OR</u>	x 78	\$ 0
MULTIPLE DEPENDENT CLAIM PRESENTED				x 130	\$	<u>OR</u>	x 260	\$
* If the difference in Col. 1 is less than zero, enter "0" in Col. 2				TOTAL	\$	<u>OR</u>	TOTAL	\$760

☒ Please charge Deposit Account No. **02-0393** in the amount of \$ 760.00 to cover the filing fee. The Commissioner is also hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. **02-0393**. A duplicate copy of this sheet is enclosed.

- ☒ Any additional filing fees required under 37 C.F.R. § 1.16.
☒ Any patent application processing fees under 37 C.F.R. § 1.17.


☐ A check to cover the filing fee is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. **02-0393**. A duplicate copy of this sheet is enclosed.

- ☒ Any patent application processing fees under 37 C.F.R. § 1.17.
☐ The issue fee set in 37 C.F.R. § 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 C.F.R. § 1.311(b).
☒ Any filing fees under 37 C.F.R. § 1.16 for presentation of extra claims.

Respectfully Submitted,

Date: July 7, 1999


 Barry S. Goldsmith, Reg. No. 39,690
 BAKER & MCKENZIE
 815 CONNECTICUT AVENUE, N.W.
 WASHINGTON, D.C. 20006

(202) 452-7016

**United States Patent Application
Utility Patent**

“DATABASE TABLE RECOVERY SYSTEM”

Inventor:

Christopher F. Parker

Date Filed:

July 7, 1999

Attorney Docket No.:

22074661/25516

DATABASE TABLE RECOVERY SYSTEM

FIELD OF THE INVENTION

5 This present invention relates in general to database
recovery systems, and more particularly to a system and method
for recovering a table of a database that does not require the
entire database to be recovered.

BACKGROUND OF THE INVENTION

10 A database, such as DB2 from IBM Corp., may utilize tables
that depend from a tablespace. The tablespace contains all of
the semi-permanent data of the database, and the tables contain
user updates and modifications to that data. Users access the
database data from the tablespace by creating a subset of that
15 data in a table, and then modify and update the table data.
The users periodically update the database to overwrite the
data in the tablespace with the table data.

One problem that occurs when a user updates the data in a table is that the data updates may be incorrect, such as due to a loss of power during a table update, an error in a data input routine, or other common sources of error. In such situations, it is necessary to rebuild the data in the table without storing the table data to the tablespace, because the corrupted data must not be allowed to be transmitted to the tablespace. For example, it is common to keep a log record file of table updates, such that the tablespace data may be updated using the log record file.

One drawback with known methods of recovering tables is that they require that the tablespace be recovered with the log record files. When the tablespace is recovered, all access to the tablespace must be restricted, including access by unaffected tables. In addition, access to all tables must also be restricted until the tablespace is recovered. As a result, if two or more users are utilizing the tablespace to create two or more different tables, then all users are unable to access their tables while the data for a single table is recovered. This drawback may result in complete disruption of work while the tablespace is being recovered.

Based on the foregoing, there is a need for a system and method for recovering a table that substantially eliminate or reduce the problems associated with conventional systems and methods for recovering a table. In particular, a system and method for recovering a table are needed that allow multiple users to access unaffected tables, and that do not require the tablespace to be recovered.

SUMMARY OF THE INVENTION

One embodiment of the present invention is a system and method for recovering a database table that depends on a tablespace. The system receives a backup copy of the tablespace and reads log records associated with the table. The system then applies the log records to the backup copy and builds new table data pages from the backup copy. Finally, the system scans the new table data pages for records of the first table and updates the table from the records.

The present invention provides many advantages. One advantage of the present invention is a system for recovering a table that does not require the tablespace from which the table depends and all other tables that depend from the tablespace to be reconstructed. The present invention returns the

reconstructed table to the configuration it was in prior to corruption of the data without also modifying the configuration of the tablespace and other dependent tables.

5 BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a diagram of a tablespace with two dependent tables in accordance with one embodiment of the present invention.

Fig. 2 is a block diagram of a table recovery system in accordance with one embodiment of the present invention.

Fig. 3 is a flow chart of steps executed by one embodiment of the present invention for recovering a table.

DETAILED DESCRIPTION

Fig. 1 is a diagram of a tablespace with two dependent tables in accordance with one embodiment of the present invention. A tablespace 10 is broken down into four columns: column A, column B, column C, and column D. In addition, tablespace 10 is broken down into five pages: page one, page two, page three, page four, and page five. The column definitions of each column are uniform across each row and page. The page size of each page is uniform, but may necessarily include varying numbers of rows depending upon the

number of characters in variable column fields of each row.
 For example, if each page contains 4,096 bytes of data, then
 one page may contain two rows having variable fields that total
 4,096 bytes, and another page may contain four rows having
 5 variable fields that total 4,096 bytes. Thus, exemplary page
 one includes four rows, exemplary page two includes two rows,
 exemplary page three includes three rows, exemplary page four
 includes four rows, and exemplary page five includes two rows.

Exemplary table 20 and exemplary table 30 are drawn from
 tablespace 10. Table 20 includes column A data and column C
 data, while table 30 includes column B data and column D data.
 Table 20 and table 30 further include rows, but are not broken
 down into pages of data. In operation, table 20 may become
 corrupted due to improper data input, systems operation, or
 other error sources. Any updates that were made to table 20
 since the time that table 20 was last read from tablespace 10
 must therefore be incorporated into the data of tablespace 10
 before table 20 can be reconstructed.

Tables 20 and 30 include log records 22 and 24,
 20 respectively. Each log record 22 and 24 is a record of changes
 that were made to its corresponding table. In addition, a
 backup copy of tablespace 10 is maintained by the database.

The backup copy may be stored on tape or disk, or any other storage medium.

In accordance with one embodiment of the present invention, the updates made to table 20 are applied to the backup copy of tablespace 10 data, which allows table 30 to be accessed in a read-only mode while table 20 is being recovered. Thus, it is not necessary to apply the log records for table 20 and table 30 to tablespace 10 and thus modify tablespace 10 if the data for table 20 is corrupted but the data for table 30 is not corrupted. Instead, table 20 is rebuilt from the backup copy of tablespace 10 to which the updates from the table 20 log record file have been applied. In this manner, the configuration of table 20, table 30, and tablespace 10 are maintained in the state that they were in prior to the corruption of the table 20 data.

The present invention eliminates the need to apply the log record files from table 20 and table 30 to tablespace 10 in order to recover table 20. Users may have read-only access to other tables such as table 30, which reduces the disruption of work that may result from recovery of the data in table 20.

In particular, in one embodiment, read-only access is provided for table 30 to prevent any changes from being made to

tablespace 10 while table 20 is being recovered. The backup copy of tablespace 10 is then stored into a working data memory. All of the rows of table 20 are then deleted, and any indices of table 20 are locked out from access to prevent changes to the indices from being made. The log records associated with table 20 are then read from the log.

After the log records are read, they are read to a log record workspace and sorted. The log records are then applied to the backup copy of tablespace 10. Sorting the log records decreases the number of input and output operations that must be made to the backup copy of tablespace 10, which decreases the amount of processing time that is required to recover table 20.

After the log records have been applied to the backup copy of tablespace 10, new table data pages are built with the updated backup copy of tablespace 10. The new table data pages are then scanned for records, or database "rows", that belong to table 20. These records are selected and are used to update table 20. After table 20 is updated, update access to table 20, table 30 and tablespace 10 is allowed.

Fig. 2 is a block diagram of a table recovery system 200 in accordance with one embodiment of the present invention.

Table recovery system 200 may be used to recover a table in which corrupted data is stored, such as a table of a DB2 tablespace, without requiring tablespace 10 and all other tables of tablespace 10 to be recovered also. Table recovery system 200 thus returns tablespace 10 and tables to the configuration that they were in prior to the corruption of data in the affected table.

Table recovery system 200 may be implemented in hardware, software, or a suitable combination of hardware and software. Table recovery system 200 is preferably software, such as operating code that operates on a general purpose computing platform. Table recovery system 200 is coupled to tablespace backup storage 202, log record storage system 204, and table storage (spacemap) 206. Tablespace backup storage 202, log record storage system 204, and table storage 206 are disc storage mechanisms, random access memory, or other suitable data storage devices that are used to store tablespace backup data, log record data, and table data respectively.

Table recovery system 200 comprises individual subsystems that may each be implemented as software, hardware, or a suitable combination of software and hardware. Furthermore, the subsystems of table recovery system 200 may be individual

functional aspects of a single system. For example, each of the subsystems of table recovery system 200 may be functions or commands in a DB2 database system, or may also or alternatively be logic circuits, programmable devices, or other suitable systems or components.

Log records sorter system 210 is used to sort log records obtained from log record storage system 204. Log records sorter system 210 optimizes input/output operations by grouping sets of log records according to data page and log records location.

Data page updater system 212 is coupled to log records sorter system 210 and tablespace backup storage 202. Data page updater system 212 updates the backup copy of tablespace 10 from tablespace backup storage 202 with sorted log records received from the log records sorter system 210.

Data page scanner system 214 is coupled to data page updater system 212. Data page scanner system 214 is operable to scan the updated tablespace backup copy and identify table rows for extraction.

Page row extractor system 216 is coupled to data page scanner system 214, and extracts the page rows identified by the data page scanner system 214.

Table row inserter system 218 receives the page rows from page row extractor system 216 and inserts them into the table that is being recovered. For example, the table that is being recovered may be stored on table storage system 206, which may be a space map that has been reinitiated with all rows deleted.

In operation, table recovery system 200 is used to recover a table from a tablespace without requiring all tables that depend from tablespace 10 to be rebuilt. For example, table recovery system 200 may operate in a DB2 Database System in which incorrect updates to a table have been made. If the table is not updated, then the incorrect updates will be imposed on tablespace 10, or the updates to the table will be lost. Table recovery system 200 is used to implement the updates to the table without requiring tablespace 10 and all other tables to be reconstructed.

In this manner, the table data may be reconstructed while other tables can be accessed in a "read only" mode. Furthermore, each table and the table space is returned to the configuration that was present prior to the corruption of the data in the affected table.

Fig. 3 is a flow chart of steps executed by one embodiment of the present invention for recovering a table. The steps may

be implemented in software, hardware, or a suitable combination of software and hardware, but is preferably software such as operating code that is used with a general purpose computing platform, such as a personal computer or mainframe computer.

5 At step 302, all updates to tablespace 10 from which the table depends are completed. For example, a DB2 "quiesce" function may be used to implement all queued updates to a tablespace, so as to prevent changes to tablespace 10 from occurring as table recovery is performed. The method then proceeds to step 304.

10 At step 304, access to other tables that are dependent from tablespace 10 is set to "read only" mode. The method then proceeds to step 306 where the backup copy of tablespace 10 is received from backup storage to system storage. For example, the backup copy of tablespace 10 may be stored to a random access memory, a magnetic data storage medium, or other suitable data storage devices. The method then proceeds to step 308.

15 At step 308, all rows of the table that is to be reconstructed are deleted. The method proceeds to step 310 where access to the indices of the table is locked out. The indices of the table may be used to verify that the data in the

table has not changed after the recovery of the table has been completed. The method then proceeds to step 312 where log records are read from the log record storage associated with the table. The present invention implements those log updates that have occurred prior to table recovery on the copied tablespace, while leaving the original tablespace and all other dependent tables unaffected. In this manner, the table having corrupted data is returned to its original configuration, and no changes are implemented to tablespace 10 or other dependent tables. The method then proceeds to step 314.

At step 314, the log record file is copied to a log record work space. The log record work space is used at step 316 so that the log records may be sorted. The method then proceeds to step 318, where the log records are applied to tablespace 10 backup copy.

At step 320, new table data pages are built with the updated tablespace backup copy. The method then proceeds to step 322 where the new table data pages are scanned for records that belong to the table that is being recovered. For example, each table comprises table keys that are columns from tablespace 10 that have been marked for use by the table. These table keys are extracted for each row. The method then

proceeds to step 324 where the table is updated with the new table data pages from tablespace 10.

In operation, method 300 is used to recover a table after the table data has been corrupted without requiring tablespace 10 from which the table depended on to be recovered. Method 300 allows access to other tables of tablespace 10 without requiring those tables to be rebuilt. Method 300 also optimizes the table recovery process by sorting the log records, such that input/output operations to tablespace 10 are optimized during the table recovery process.

As described, the present invention allows recovery of a table without requiring the tablespace from which the table depends and all other tables that depend from the tablespace to be reconstructed. The present invention returns the reconstructed table to the configuration it was in prior to corruption of the data without also modifying the configuration of the tablespace and other dependent tables.

Several embodiments of the present invention are specifically illustrated and/or described herein. However, it will be appreciated that modifications and variations of the present invention are covered by the above teachings and within

5

5

WHAT IS CLAIMED IS:

1 1. A system for recovering a table comprising:
2 a table recovery system; and
3 a tablespace access system coupled to the table
4 recovery system, wherein the tablespace access system is
5 operable to restrict access to the tablespace to read-only
6 access.

1 2. The system of claim 1 wherein the table recovery
2 system further comprises a log record sorter system operable to
3 sort log records from a log record file.

1 3. The system of claim 2 further comprising a data page
2 updater system coupled to the log record sorter system operable
3 to apply log record updates to a data page.

1 4. The system of claim 3 further comprising a data page
2 scanner system coupled to the data page updater system, the
3 data page scanner system operable to locate records associated
4 with a table in a data page.

1 5. The system of claim 4 further comprising a page row
2 extractor system coupled to the data page scanner system
3 operable to extract page rows from a data page that has been
4 located by the data page scanner system.

1 6. The system of claim 5 further comprising a table row
2 inserter system coupled to the page row extractor system
3 operable to write extracted page rows to the table.

1 7. A method for recovering a table that depends on a
2 tablespace, said method comprising:
3 allowing at least one other table to have read-only
4 access to the tablespace; and
5 using a backup copy of the tablespace to restore the
6 table.

1 8. The method of claim 7, further comprising allowing
2 said at least one other table to have update access to the
3 tablespace when the table is restored.

1 9. The method of claim 7 wherein using the copy of the
2 tablespace to restore the table comprises:

3 deleting all rows of the table;
4 locking out access to indexes of the table;
5 applying log records to the tablespace backup copy to
6 update the tablespace backup copy;
7 building new table data pages with the updated tablespace
8 backup copy; and
9 updating the table with the new table data pages.

1 10. The method of claim 9 wherein applying log records to
2 the tablespace backup copy to update the tablespace backup copy
3 further comprises:

4 reading the log records from a log record file to a log
5 record workspace;
6 sorting the log records; and
7 applying the log records to the tablespace backup copy.

1 11. The method of claim 9 wherein building new table data
2 pages with the updated tablespace backup copy comprises
3 scanning the new table data pages for records that belong to
4 the table being recovered.

1 12. A method of recovering a first table that depends on
2 a tablespace, said method comprising:

3 receiving a backup copy of the tablespace;
4 reading log records associated with the first table;
5 applying the log records to the backup copy;
6 building new table data pages from the backup copy;
7 scanning the new table data pages for records of the first
8 table; and
9 updating the first table from the records.

10 13. The method of claim 12, further comprising:
11 limiting access of a second table to the tablespace to
12 read-only before the first table is updated, wherein the second
13 table depends on the tablespace.

14 14. The method of claim 13, further comprising:
15 providing update access to the second table after the
16 first table is updated.

17 15. The method of claim 12, further comprising sorting
18 the log records.

ABSTRACT OF THE DISCLOSURE

A system and method for recovering a database table that depends on a tablespace receives a backup copy of the tablespace and reads log records associated with the table.

- 5 The system then applies the log records to the backup copy and builds new table data pages from the backup copy. Finally, the system scans the new table data pages for records of the first table and updates the table from the records.

55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500

602020 60167E60




Fig. 1




Fig. 2




Fig. 3

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am an original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention **DATABASE TABLE RECOVERY SYSTEM**, the specification of which is filed herewith.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN APPLICATION(S)

Number	Country filed	Day/month/year	Priority Claimed Under 35 USC § 119
--------	------------------	----------------	--

I hereby claim the benefit under Title 35, United States Code, §§ 119(e) of any United States provisional application(s) listed below:

PRIOR PROVISIONAL APPLICATION(S)

Application Number

Filing Date

I hereby claim the benefit under Title 35, United States Code § 120, of any United States application(s) listed below or under § 365(c) of any PCT international application(s) designating the United States of America listed below, and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

PARENT APPLICATION(S)

U.S. Parent or PCT Parent
Application Number

Parent Filing
Date

Parent Patent Number
(if applicable)

And I hereby appoint James David Jacobs (Reg. No. 24,299), Jonathan S. Caplan (Reg. No. 38,094), Chris Kolefas (Reg. No. 35,226), and Barry S. Goldsmith (Reg. No. 39,690) my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Please address all communications regarding this application to:

BAKER & McKENZIE
805 Third Avenue
New York, New York 10022

Please direct all telephone calls to Jonathan S. Caplan at (212) 751-5700.

Figure 1 consists of 12 scatter plots, labeled (a) through (l), each showing the relationship between a specific variable and the number of children. The variables are: (a) Age, (b) Education, (c) Income, (d) Employment, (e) Health, (f) Religion, (g) Ethnicity, (h) Marital status, (i) Family size, (j) Parental involvement, (k) Parental satisfaction, and (l) Parental stress. Each plot shows a positive correlation between the variable and the number of children.

First Inventor: **Christopher F. Parker**

Inventor's Signature: _____

Date: _____

Residence: **275 Fox Chase Drive North**
Oswego, IL 60543

Citizenship: **United States**

Post Office Address: Same as above.